RECOVERY OF V. P. TAX AND LAND REVENUE FROM THE RYOTS OF DIGUVAPALLI VILLAGE IN SRINIVASAPUR TALUK WHO HAVE SETTLED IN PATHABALLAHALLI VILLAGE.

Q.—78. Sri J. NARAYANAPPA (Mulbagal).—

Will the Government be pleased to state:—

(*a*) whether they are aware that Diguvapalli village in Ronur Hobli, Srinivasapur Taluk, Kolar District, was evacuated fifty years ago and the villagers built their houses in hiduvalli land ;

(*b*) whether they are aware that all the villagers have built permanent storeyed houses at a cost of thousand of rupees ;

(*c*) whether it is not a fact that both V.P. tax for the houses as well as land revenue for the land are being recovered from the ryots ;

(*d*) if so, the number of petitions received from ryots in the matter and reasons for the delay in taking decision so far ?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue).—

(*a*) The villagers of Diguvapalli left that village and built their houses in the hiduvalli lands of Pathaballahalli village about 30 years ago.

(*b*) No.

(*c*) No.

(*d*) Does not arise in view of reply to (*c*).

SUPPLY OF ELECTRICITY TO THE IRRIGATION PUMP SETS AT UGANEDAHUNDI IN CHAMARAJANAGAR TALUK.

Q.—84. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government to be pleased to state:—

(*a*) the date on which the estimate was prepared by the Department of Electricity in order to supply electricity to irrigation pump sets at Uganedahundi in Chamarajanagar Taluk ;

(*b*) the office in which it is pending ;

(*c*) since how long it is pending ;

(*d*) the action taken to sanction the estimate early ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works and Electricity.—

(*a*) 5th October, 1960.

(*b*) Office of the Executive Engineer (Electricity), Electrical Division, Mysore.

(Sri H. K. VEERANNA GOWDH)

(c) About 5½ months.

(d) The estimate is under scrutiny and certain discrepancies are being corrected. After these are attended to, the estimate will be sanctioned.

SUPPLY OF ELECTRICITY TO STREET LIGHTS AT UDIGALA IN CHAMARAJANAGAR TALUK.

Q.—85. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government be pleased to state :—

(a) the date on which the estimate was sanctioned to supply electricity to street lights at Udigala in Chamarajanagar taluk :

(b) the date on which the work order was issued :

(c) if not, the action taken to issue work order and also to supply poles and other required materials to put up the line :

(d) the date on which the service may be given ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works and Electricity).—

(a) 4th December, 1959.

(b) Work order is not yet issued.

(c) The Village Panchayat Chairman, Udigala, was requested to execute necessary agreements and to arrange for completing the interior wiring of the installations, etc. He has not yet done so. The required materials for the work are being collected.

(d) As soon as the formalities under the rules arecompleted.

CONSTRUCTION OF PICK-UPS ACROSS KUDURUHALLA NEAR HEBACHAHALLI IN CHAMARAJANAGAR TALUK.

Q.—86. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government be pleased to state :—

(a) whether the estimate is prepared to put up a pick-up across Kuduruhalla near Hebachahalli by the P. W. D., Chamarajanagar, or Investigation Circle, Mysore ;

(b) if not, the action taken by either of the Departments to prepare an estimate to put up pick-up at Hebachahalli ;

(c) if the estimate is prepared the action taken to accord sanction to it ?